

e-STUDIO305CP

Datasheet

- > Toshiba's A4 colour laser printer is a smart choice for mid-sized workgroups, which value high-quality document output.
- > With a print speed of up to 30 pages per minute and a maximum paper capacity of 1,450 sheets this printer is a reliable partner when it comes to increasing your productivity.
- > Outstanding image quality with brilliant colours let you create impressive documents every time you print.
- > The large, intuitive-to-use colour touch panel allows you to easily preview your print jobs and change settings when needed.
- > Meeting the highest environmental standards the e-STUDIO305CP features energy saving modes and duplex printing to limit the use of resources.



The e-STUDIO305CP is a reliable A4 colour printer which will create remarkable, high-quality documents for you. With its resolution of up to 1,200 x 1,200 dpi crystal-clear graphics and images come as standard. And smart technology ensures constant quality even for large print jobs.

Ideal for mid-sized workgroups the network-compatible printer has a print speed, paper capacity and first print output time, which will help you enhance your productivity and streamline your workflows.

Caring for the environment and its resources is part of Toshiba's tradition – starting with the choice of materials all the way to recycling issues. It therefore does not come as a surprise that the e-STUDIO305CP complies with leading international environmental standards. The energy saving modes and the duplex printing feature will help save resources to create a greener tomorrow.

General

Print Speed	30 ppm
Warm-up Time	Approx. 20 seconds (from power save mode)
Paper Size & Weight	A5-A4/custom, 60-176 g/m ² (Cassette) 76 x 127 mm - 216 x 355 mm, 60-176 g/m ² (Bypass)
Paper Capacity	1 x 250 sheets (Cassette), 1 x 1 sheet (Bypass) Maximum: 1,451 sheets
Inner Output Tray	125 sheets
Automatic Duplex	A4/custom, 60-105 g/m ²
Control Panel	4.3" (10.9 cm) Colour Touch Panel
Memory	512 MB, max. 2,560 MB
Interface	10Base-T/100Base-TX/1000Base-T (incl. IPv6), High Speed USB 2.0
Dimension & Weight	442 x 407 x 306 mm (W x D x H), ~ 20.9 kg
Starter Kit	Starter Toner and Imaging Kit

Print

Resolution	Max. 1,200 x 1,200 dpi
First Print Output Time	Colour: approx. 10 seconds Monochrome: approx. 9 seconds
Page Description Language	PCL 6, PostScript 3 and PDF v1.7 emulation, PCL 5, XPS, PPDS
Supported Systems	Windows 8/7/Vista/XP/Server 2008/ Server 2003 (32/64 bit), Windows Server 2012/ Server 2008 (64 bit), Mac OS X 10.5-10.9, Linux/Unix, Novell NetWare
Print Functions	Universal Printer Driver, Print from USB, Print from shared folder, Private Print, Print Preview, Named colour replacement, Multiple pages per sheet, Envelope printing

System & Security

Device Management	e-BRIDGE Fleet Management System ¹⁾
System Features	Energy saving modes
Accounting & Security	Private Print, IP address filter, Port filter, support of SNMPv3, SSL and IPSec protocols, 802.1x authentication, Operator Panel Lock, Device Quota ¹²⁾ USB-Port protection, Hard Disk Encryption/Wiping ²⁾

Options

650-sheet Duo-drawer – KD-1054
550-sheet Drawer – KD-1055
Swivel Cabinet Lockable – MH-3100
Adjustable Print Stand – KK-3200
Memory – GC-1380 / GC-1390
Hard Disk Drive 320 GB³⁾ – KQ-1004
Wireless LAN Module⁴⁾ – GN-1120

¹⁾ Optional

²⁾ Requires optional HDD

³⁾ 1 GB = 1 billion bytes; the actual formatted capacity is less. Available capacity will also be less if software applications are pre-installed.

⁴⁾ Within the IDD Territory, the Wireless Module is available in the following countries: Bulgaria, Croatia, Cyprus, Czech Republic, Greece, Hungary, Latvia, Lithuania, Luxembourg, Malta, Portugal, Romania, Serbia, Slovakia, Slovenia

TOSHIBA TEC GERMANY IMAGING SYSTEMS GMBH

Carl-Schurz-Str. 7
41460 Neuss
Germany

Telephone

+49 2131-1245-0

Fax

+49 2131-1245-402

Website

www.toshiba-europe.com/tec

