



Desktop Manager

- A compact all-in-one A4 multifunctional system offering high productivity at a speed of up to 40 ppm.
- Reliable e-BRIDGE technology combined with intuitive usage.
- Excellent print quality and brilliant images.
- State-of-the-art document security thanks to the Toshiba Secure HDD.
- Low power consumption for an economical and ecological business environment.



e-STUDIO287cs
e-STUDIO347cs
e-STUDIO407cs



SAP® Printer Vendor Solution





e-STUDIO287cs
e-STUDIO347cs
e-STUDIO407cs



<p>General</p>	<p>Print & Copy Speed Colour: 28/34/40 ppm B&W: 28/36/40 ppm Approx. 35 seconds from Sleep Mode</p> <p>Warm-up Time</p> <p>Paper Size & Weight Cassettes: A5-A4, 64-220 g/m² Bypass: A6-A4, 64-250 g/m², banner paper (up to 216 x 1,321 mm, 64-128 g/m²)</p> <p>Paper Capacity 1 x 530 sheets (Cassette), 100 sheets (Bypass) Max. 2,630 sheets</p> <p>Automatic Duplex A5-A4, 64-220 g/m²</p> <p>Inner Output Tray 500-sheet capacity</p> <p>Memory Toshiba Secure HDD 160 GB²⁾/ 2 GB RAM</p> <p>Interface 10/100/1000BaseT (incl. IPv6), High Speed USB 2.0, WLAN¹⁾ (IEEE802.11b/g/n)</p> <p>Dimensions (W x D x H) 522 x 604 x 811 mm</p> <p>Weight ~51 kg</p>
<p>Print</p>	<p>Resolution Max. 600 x 600 dpi (5 bit) 1,200 x 600 dpi (1 bit PS driver only)</p> <p>Page Description Language XPS, PCL 6 and PostScript 3 compatible</p> <p>Supported Systems Windows 8/7/Vista/XP/Server 2008/Server 2003 (32/64 bit), Server 2012/Server 2008R2 (64 bit), Mac OS X 10.2-10.8, Linux/Unix, Citrix, Novell NetWare (NDPS), SAP, AS/400</p> <p>Colour Modes Colour, Twin Colour, B&W</p> <p>Colour Settings ICC profile colour management, Brightness, Saturation, Contrast, Colour Balance</p> <p>Print Functions Universal Driver, One-Touch Templates, Driver plug-ins¹⁾, Private/Hold Print, Print from USB, Multiple pages per sheet, Tandem Printing, etc.</p>
<p>Scan</p>	<p>Resolution Max. 600 x 600 dpi</p> <p>Scan Speed Colour & B&W: up to 40 ipm (300 dpi)</p> <p>Document Feeder Simplex: max. 100 sheets, A6-A4, 60-105 g/m² Duplex: max. 100 sheets, A5-A4, 60-105 g/m²</p> <p>Scan Modes Auto-Colour (ACS), Colour, Greyscale, B&W</p> <p>File Formats JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PDF, Searchable PDF¹⁾ (and other formats like DOCX, XLSX, RTF, TXT, PDF/A)¹⁾</p> <p>Scan Functions WS scan, Scan to USB, Scan to E-Mail, Scan to File (SMB, FTP, FTPS, SPX/IPX, local), Meta Scan¹⁾, Scan to Box (e-Filing), WIA, TWAIN</p>
<p>Copy</p>	<p>Resolution Scan: max. 600 x 600 dpi Print: max. 600 x 600 dpi</p> <p>First Copy Output Time Colour & B&W: approx. 13 seconds</p> <p>Zoom 25-400%</p> <p>Copy Modes Text, Text/Photo, Photo, Image smoothing, Printed Image, Map</p> <p>Colour Settings Hue, Saturation, Colour Balance, 5 One-touch modes, RGB adjustment</p> <p>Copy Functions Electronic sort, ID card copy, Edge Erase, 2-in-1 / 4-in-1 mode</p>
<p>Fax¹⁾</p>	<p>Communication Super G3, G3, Internet Fax T.37</p> <p>Transmission Speed Approx. 3 seconds per page</p> <p>Compression JBIG, MMR, MR, MH</p> <p>Fax Memory 1GB Transmission/Reception</p> <p>Network-Fax Driver Windows 8/7/Vista/XP/Server 2008/Server 2003 (32/64 bit), Server 2012/Server 2008R2 (64 bit)</p> <p>Incoming Fax Routing To shared folders (SMB, FTP, IPX), E-mail, e-Filing</p>
<p>System & Security</p>	<p>Device Management e-BRIDGE Fleet Management System¹⁾, Top Access for remote administration and configuration</p> <p>System Features e-Filing document server for secure storage, document distribution and Print on Demand (1 public box, 200 user boxes), 12,060 One-touch Templates for storage of personalised settings or workflows, Scan/fax preview, Rip-while-Print, e-BRIDGE Open Platform¹⁾, Embedded Web Browser, Job Skip</p> <p>Accounting & Security Role Based Access, LDAP support, 1,000 depart- ment codes & 10,000 user codes, card reader¹⁾, Private Print, standard data encryption with Toshiba Secure HDD, Data Overwrite Enabler¹⁾, IP and MAC address filter, port filter, support of SSL and IPSec¹⁾ protocols, IEEE802.1x support, IEEE2600.1 compliant¹⁾, Scan to Secure PDF</p> <p>Productivity and paper specifications are related to a paper size of A4 and a paper weight of 80 g/m² if not otherwise mentioned.</p>

OPTIONS

PAPER FEED UNIT – MY-1045

530 sheets cassette, A5-A4, 64-220 g/m²
522 x 485 x 136 mm (W x D x H), ~7.3 kg

LARGE CAPACITY FEEDER – KD-1040

2,000 sheets (1 cassette), A4, 64-220 g/m²
705 x 758 x 404 mm (W x D x H), ~29 kg

INNER FINISHER – MJ-1038

1 tray, 500-sheet capacity
50-sheets stapling, A5-A4, 64-104 g/m²
387 x 566 x 215 mm (W x D x H), ~8.3 kg

OFFLINE STAPLER – MJ-1039

20 sheets offline stapler, one position

CASTER – GR-1170

Stabiliser
795 x 765 x 132 mm (W x D x H), ~14.7 kg

SPACER – GR-1160

522 x 485 x 136 mm (W x D x H), ~5.3 kg

OTHER OPTIONS

- DESK – MH-3400
- FAX BOARD – GD-1340EU
- WIRELESS LAN MODULE – GN-1060
- e-BRIDGE ID-GATE – TWN3/4xx
- DATA OVERWRITE ENABLER – GP-1070
- META SCAN ENABLER – GS-1010
- IPsec ENABLER – GP-1080
- UNICODE ENABLER – GS-1007
- e-BRIDGE RE-RITE – GB-1280

¹⁾ optional

²⁾ 1GB = 1 billion bytes; the actual formatted capacity is less. Available capacity will also be less if software applications are pre-installed.

Technical data is subject to change without prior notice. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. All rights reserved. We are constantly making efforts to deliver the latest status of data to our partners. Specifications for some models may change in the time between the production and the release of this documentation. Copyright © 2013 TOSHIBA TEC. DS407csGBIDD1305