

e-STUDIO2309A

e-STUDIO2809A

Product brochure

- > Benefit from these two monochrome A3 systems with flexible configuration which cover the basic needs of modern businesses.
- > Based on sophisticated technology, the e-STUDIO2309A/2809A easily integrate into networks and are intuitive to use.
- > Designed to meet the highest environmental standards, both models help save valuable resources.



BENEFITS

All in one

What ever you need, Toshiba's monochrome printing systems are there to support you. Packed with multifunctional potential, the e-STUDIO2309A/2809A deliver outstanding performance. Brilliant prints, crystal-clear colour scans and quick copies are packed in stylish design. Add the optional fax, and these systems can meet all demands of a modern office environment.

With an output speed of 23 or 28 pages per minute, and as many as up to five different paper sources, these models are capable of supporting an entire workgroup. The total paper capacity of up to 1,700 sheets for A5 to A3 format, ensures smooth operation without the need to constantly add paper.

Connectivity

Both systems can easily be integrated into existing networks. The standard network capability can be extended with the optional Wireless LAN module which gives you more flexibility.

Various colour scan functions, such as Scan to USB, Scan to E-Mail or Scan to Folder, let you easily share and manage your electronic documents.


Ease-of-use

The intuitive user interface provides highest possible efficiency when operating the new systems. Logical key configuration and a clearly structured menu allow users to enjoy all benefits right from the start.

We are aware that each company has individual needs and requirements. Therefore, the e-STUDIO2309A/2809A were designed to adjust to your demands. Thanks to a flexible configuration, they offer optimal efficiency.

Take advantage of the versatile functionality to enhance your productivity.

CONFIGURATION



SPECIFICATIONS

General

Print & Copy Speed	A4: 23/28 ppm A3: 14/14 ppm
Warm-up Time	~ 18 seconds
Paper Size & Weight	Cassette: A5R-A3, 64-80 g/m ² Bypass: A5R-A3, 52-216 g/m ²
Paper Capacity	Cassette: 1x 250 sheets Bypass: 1x 100 sheets max. 1,700 sheets
Inner Output Tray	100-sheet capacity
Automatic Duplex	A5R-A3, 64-80 g/m ²
Memory	512 MB RAM
Interface	10Base-T/100Base-TX (incl. IPv6), High Speed USB 2.0, WLAN ¹⁾ (IEEE802.11b/g/n)
Dimensions & Weight	575 x 540 x 402 mm (W x D x H), ~ 25.5 kg
Starter Kit	Toner, Drum, Developer

Print

Resolution	max. 2,400 x 600 dpi with smoothing
Page Description Language	PCL 5e & 6 and PostScript 3 ¹⁾ compatible
Supported Systems	Windows 10/8/7/Vista/Server 2008 SP2 (32/64 bit), Windows Server 2016/2012/Server 2008 R2 (64 bit), Mac OS X 10.7.4-10.12, Unix/Linux
Print Functions	Universal Printer Driver, Print from USB, Multiple pages per sheet, Driver plug-ins ¹⁾ , Rotate Sort ²⁾ , Toner save mode

Scan

Resolution	max. 600 x 600 dpi
Scan Speed	Monochrome/Colour: 25/22 ipm (200 dpi)
Scan Modes	Colour, Greyscale, Monochrome
File Formats	JPEG, Multi/Single Page TIFF/PDF (and other formats such as DOCX, XLSX, RTF, TXT, PDF/A) ¹⁾
Scan Functions	Scan templates, Scan to USB, Scan to E-Mail, Scan to File (SMB, FTP), TWAIN

Copy

Resolution	Scan: 600 x 600 dpi Print: 2,400 x 600 dpi with smoothing
First Copy Output Time	~ 6.4 seconds
Zoom	Platen: 25-400% RADF: 25-200% ¹⁾
Copy Modes	Text, Text/Photo, Photo, Background erase
Copy Functions	Copy templates, Electronic Sort, Rotate Sort ²⁾ , ID Card Copy, Edge Erase, 2-in-1 / 4-in-1 mode, Auto sort ²⁾

Fax¹⁾

Communication	Super G3, G3
Transmission Speed	~ 3 seconds per page
Compression	JBIG, MMR, MR, MH
Fax Memory	6 MB Transmission/Reception
Network Fax	Driver for Windows 8/7/Vista/Server 2008 SP2 (32/64 bit), Windows Server 2012/Server 2008 R2 (64 bit)
Fax Functions	One-touch dialing (5 keys), Group dialing

System & Security

Device Management	e-BRIDGE Fleet Management System ¹⁾ , TopAccess for remote administration and configuration
System Features	Internal toner recycling, Energy-saving modes
Accounting & Security	100 department codes, IP and MAC address filter, SSL support

Options

RADF – MR-3029	50-sheet capacity, A5R-A3, 50-104 g/m ²
Paper Feed Unit – MY-1043	1x 250-sheet capacity, A5R-A3, 64-80 g/m ²
Paper Feed Pedestal – KD-1039	1x 550-sheet capacity, A5R-A3, 64-80 g/m ²
Drawer Module – MY-1044	For Paper Feed Pedestal 550-sheet capacity, A5R-A3, 64-80 g/m ²
PostScript Module – GA-1340L/H	Including 512 MB memory
Platen Cover – KA-2507PC	
Desk – MH-2507	
Fax Board – GD-1360EU	
Wireless LAN Module – GN-1080	

¹⁾ Optional

²⁾ Requires RADF



About Toshiba Tec

Toshiba Tec Germany Imaging Systems GmbH is part of the globally operating Toshiba Tec Corporation, active in various high-tech industrial sectors.

Toshiba Tec Corporation is a leading provider of information technology, operating across multiple industries - ranging from retail, education and business services to hospitality and manufacturing. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba Tec Corporation helps organisations transform the way they create, record, share, manage, and display information.

For more information please contact us:

Toshiba Tec Germany Imaging Systems GmbH

Carl-Schurz-Str. 7
41460 Neuss
Germany

Telephone

+49 2131-1245-0

Fax

+49 2131-1245-402

Website

www.toshibatec.eu



Together Information is Toshiba's vision for how people and organisations create, record, share, manage and display ideas and data.

It is based on our belief that the most successful organisations are those that communicate information in the most efficient way.

We make that possible through an integrated portfolio of industry specific solutions, all of which reflect Toshiba's commitment to the future of the planet.

