

COMBOX Interactive Lite



Available 65", 70" 75 FHD

The Lite Range, designed for education. Providing the best interactive touch experience for the classroom. With a Full HD touch screen, the Entry line offers all the basic feature you need.



COMBOX Interactive Lite



Built-in Android

It be used without PC because the latest Android OS is always included. You can download your favorite applications to Lite touch screen.



Multi touch points

CommBox Lite Touchscreens utilise the lastest IR Touch technology. It provides 10 touch points as standard (20 touch points-optional). It's fast and accurate also find writing.



FULL HD resolution

The Lite range provides high definition, high brightness display at 1920x1080p. A high-definition (**HD**) signal enhances both the picture and the video.



Anti-Glare toughened glass

Paired with toughened Anti-Glare glass, which provides unmatched visibility from all angles of any light-filled room.



Connectivity

Lite Ranges provide plenty of IO interfaces such as HDMI, VGA, Audio, USB, USB for touch, RS232, LAN, OPS slot(only built-in Android ver.), SPDIF, YPBPR, AV In & Out also provides front HDMI and USB.



Lite Range is ideal for a budget conscious touchscreen

Lite Ranges has with Built-in Android and without Android version.



The

Entry level

CommBox Touchscreen...

COMBOX Interactive Lite Specs

Models	9:26	9:26 ••••••••••••••••••••••••••••••••••••	9:26 Transform
			And a set of the set o
	Lite65 l Lite65WTOA	Lite70 l Lite70WTO	Lite75 l Lite75WTO
Screen			
Resolution	1920 x 1080p	1920 x 1080p	1920 x 1080p
Brightness	350cd / m2	340~400cd / m2	400cd / m2
Viewing Angle	178'	178'	178'
Noise	Below 40dB 25C	Below 40dB 25C	Below 40dB 25C
Surface Temp	Below 10 at 24C	Below 10 at 24C	Below 10 at 24C
Operating Con	5C to 35C	5C to 35C	5C to 35C
Touch Points Technology		10 Fingertips or any tips Infra-Red	
Android Version CPU	45kg 58kg	55kg 68kg	80kg 95kg
RAM			
Dimensions	65"	70*	75"
Display Area	65"	70"	75"
Screen	1486(W) x 873(H) x 80(D)mm	1576(W) x 901(H) x 80(D)mm	1744(W) x 1023(H) x 104(D)mm
Packed	1636(W)×1023(H) × 250(D)mm	1726(W) x 1050H) x 300(D)mm	1900(W) x 1174(H) x 320(D)mm
Weight			
Screen	50kg	68kg	80kg
Packed	57kg	81kg	92kg
Power		AC100 to 240V, 50/60Hz Powe	er Supply
Accessories	HDMI Cable	USB Cable Stylus Pen	Cleaning Cloth
Speakers		10W x 2 Internal Speakers 10W x 2 Speaker Out	
Input/Output	(in/output), RS-2	DMI x 3 for without Android, VG/ 232 Control, USB for touch, 2xU9 & Wi-Fi(on board-option) for Ar	ISB 3.0/USB 2.0 &